

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO: 6,861,744 B2  
DATED: MARCH 1, 2005  
APPLICATION NO.: 10/074,792  
INVENTOR(S): MASAOKI HAYAMA, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page

At title of invention (54), before "MULTILAYER" insert - A -.

Column 12

Line 34, "at" should read -- of --.

**Mailing Address of Sender:**

RatnerPrestia  
P.O. Box 980  
Valley Forge, PA 19482  
(610) 407-0700

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance completing the form, call 1-800-PTO-9199 and select option 2.

OCT 5 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : October 14, 2005

Patent No. : 6,861,744 B2

Inventor : Hayama et al

Patent Issued : March 1, 2005

Title : MULTILAYER CERAMIC SUBSTRATE UTILIZING AN INTAGLIO  
PLATE WITH A PLURALITY OF GROOVES HAVING DIFFERENT  
DEPTHS

Docket No. : MAT-6660US2

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

It is the practice to exclude words such as "A", "IMPROVED", "IMPROVEMENTS IN," "NEW", or "NOVEL" as the first word in the title of the invention. Therefore, no correction is in order here under Rule 1.322 or 1.323.

In view of the foregoing, your request for certificate of correction is hereby denied.

A certificate of correction will be issued to correct the error(s) noted in your request.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificates of Correction Branch

David Irvine  
Cecilia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
703/308-9590 or 703/305-4362

Lawrence E Ashery  
Box 980  
Valley Forge, Pa. 19482

CBN/ di